


Carpet Tiles – Design Portfolio



New colour palette: 38

2402








· 5-7-5

Call it meadow. Call it promenade. But just don't call it a floor.

Real March Contract of the Con









NATURE NT1 Bark

o Brown

Article Code	1042586
Design Code	NT 1
Tufted Pile Weight	24.47 OZ/yd2
Product Type	Plank
Construction	Tufted
Surface Texture	
Gauge	5/64" VLOC
Density	
Total Weight	3800
Stiches Per Inch	12/inch
Finished Pile Thickness	
Total Thickness	
Dye Method	Solution Dyed
Backing Material	Thermoplastic PVC
Fiber Type	100% Nylon Type -6
Pattern Repeat	Applicable
Size	25 cm* 100 cm
Installation Method	BrickAshlar, Random





NATURE NT 2 Lush Moss

	000
o Brown o o Brown o	Brown, Green Brown, Green
Article Code	1042587/1042588/1042589/1042590
Design Code	NT 2
Tufted Pile Weight	24.47 OZ/yd2
Product Type	Plank
Construction	Tufted
Surface Texture	
Gauge	1/12 Gauge color point
Density	
Total Weight	3800
Stiches Per Inch	11.5/inch
Finished Pile Thickness	
Total Thickness	
Dye Method	Solution Dyed
Backing Material	Thermoplastic PVC
Fiber Type	100% Nylon Type -6
Pattern Repeat	Applicable
Size	25 cm* 100 cm
Installation Method	BrickAshlar, Random






NATURE NT3 Marble

o Brown

Article Code	1042591
Design Code	NT 3
Tufted Pile Weight	24.47 OZ/yd2
Product Type	Tile
Construction	Tufted
Surface Texture	
Gauge	5/64" VLOC
Density	
Total Weight	3800
Stiches Per Inch	12/inch
Finished Pile Thickness	
Total Thickness	
Dye Method	Solution Dyed
Backing Material	Thermoplastic PVC
Fiber Type	100% Nylon Type -6
Pattern Repeat	Applicable
Size	50 cm* 50 cm
Installation Method	BrickAshlar, Random
















ORIGAMI OD1 Square Fold

0

0



o Grey Orange Grey Grey Yellow Grey Blue 0 Article Code 104906 Design Code OD-1 **Tufted Pile Weight** 30 OZ/yd2 Product Type Tile Construction Tufted Surface Texture **Textured Pattern Loop** Gauge 1/10 Gauge color point Density Total Weight **Stiches Per Inch** 9/inch, 36/10 cm Finished Pile Thickness 3mm +_ 0.5 mm Total Thickness 6.5 mm +_ 0.5mm Dye Method Solution Dyed **Backing Material** Thermoplastic PVC Fiber Type 100% Nylon Type -6 Pattern Repeat Not Applicable 50 cm* 50 cm Size Installation Method BrickAshlar, Random



ORIGAMI OD 2 Kite Fold



o Grey o Grey Yellow	0	Grey Red Grey Blue	
	U		
Article Code		104907	
Design Code		OD-2	
Tufted Pile Weight		30 OZ/yd2	
Product Type		Tile	
Construction		Tufted	
Surface Texture		Textured Pattern Loop	
Gauge		1/10 Gauge color point	
Density			
Total Weight		4172	
Stiches Per Inch		9/inch, 36/10 cm	
Finished Pile Thickness		3mm +_ 0.5 mm	
Total Thickness			
Dye Method		Solution Dyed	
Backing Material		Thermoplastic PVC	
Fiber Type		100% Nylon Type -6	
Pattern Repeat		Not Applicable	
Size		50 cm* 50 cm	
Installation Method		BrickAshlar, Random	




ORIGAMI	v
OD4 Modular Fo	bld
	Grey Red
Article Code	104908
Design Code	OD-4
Tufted Pile Weight	17 OZ/yd2
Product Type	Tile
Construction	Tufted
Surface Texture	Textured Pattern Loop
Gauge	1/10 Gauge color point
Density	
Total Weight	3431.3
Stiches Per Inch	10.5/inch, 41/10 cm
Finished Pile Thickness	2.5/3mm/3.5mm +_ 0.5 mm
Total Thickness	
Dye Method	Solution Dyed
Backing Material	Thermoplastic PVC
Fiber Type	100% Nylon Type -6
Pattern Repeat	Not Applicable
Size	50 cm* 50 cm
Installation Method	BrickAshlar, Random

WELSPUN FLOORING



		V
origami		FLOORING
OD5 Pleat Gold		FLOORING
o Grey	o Grey Orange	
 Grey Yellow 	o Grey Blue	
Article Code	104909	
Design Code	OD-5	
Tufted Pile Weight	30 OZ/yd2	
Product Type	Tile	
Construction	Tufted	
Surface Texture	Textured Pattern Loop	
Gauge	1/10 Gauge color point	
Density		
Total Weight	4172	
Stiches Per Inch	9/inch, 36/10 cm	
Finished Pile Thickness	3mm +_ 0.5 mm	
Total Thickness	6.5 mm +_ 0.5mm	
Dye Method	Solution Dyed	
Backing Material	Thermoplastic PVC	
Fiber Type	100% Nylon Type -6	
Pattern Repeat	Not Applicable	
Size	50 cm* 50 cm	
Installation Method	BrickAshlar, Random	



ORIGAMI OD7 Valley Fold

0

Size

Grey o Grey Orange o Grey Yellow o Grey Blue Article Code 104911 OD-7 Design Code **Tufted Pile Weight** 18.5 OZ/yd2 Product Type Plank Construction Tufted Surface Texture **Textured Pattern Loop** Gauge 1/12 Gauge color point Density >5000 Total Weight 3482.15 9.5/inch, 37/10 cm Stiches Per Inch Finished Pile Thickness 2.5/3mm/3.5mm +_ 0.5 mm Total Thickness 6.5 mm +_ 0.5 mm Dye Method Solution Dyed **Backing Material** Thermoplastic PVC Fiber Type 100% Nylon Type -6 Pattern Repeat Not Applicable 25 cm* 100 cm Installation Method BrickAshlar, Random, Herringbone






ORIGAMI OD 6 Mountain Fold

Grey

0




o Grey Yellow o Grey Blue Article Code 104910 Design Code OD-6 **Tufted Pile Weight** Product Type Plank Construction Tufted Surface Texture Gauge Density Total Weight Stiches Per Inch **Finished Pile Thickness Total Thickness** Dye Method **Backing Material** Fiber Type Pattern Repeat Not Applicable Size 25 cm* 100 cm Installation Method

BrickAshlar, Random, Herringbone









RELAY RL1 Flare

o Grey


Article Code Design Code **Tufted Pile Weight** Product Type Construction Surface Texture Gauge Density Total Weight **Stiches Per Inch Finished Pile Thickness Total Thickness** Dye Method **Backing Material** Fiber Type Pattern Repeat Size Installation Method



RL-1 21.82 OZ/yd2 Tile Tufted 1/12 Gauge color point 3710 12/inch Solution Dyed Thermoplastic PVC 100% Nylon Type -6 Applicable 50 cm* 50 cm BrickAshlar, Random

1042582

RL1 Flare









RELAY

RL 3 Gleam o Grey, Yellow

Article Code	1042585
Design Code	RL-3
Tufted Pile Weight	21.82 OZ/yd2
Product Type	Tile
Construction	Tufted
Surface Texture	
Gauge	1/12 Gauge color point
Density	
Total Weight	3710
Stiches Per Inch	12/inch
Finished Pile Thickness	
Total Thickness	
Dye Method	Solution Dyed
Backing Material	Thermoplastic PVC
Fiber Type	100% Nylon Type -6
Pattern Repeat	Applicable
Size	50 cm* 50 cm
Installation Method	BrickAshlar, Random



URBANE






Stripes? No. Checks? No. Why should everything have a patient Even floors.

URBANE



UB1 Brush Strokes o Grey, Blue

Article Code	1042592
Design Code	UB 1
Tufted Pile Weight	23.88 OZ/yd2
Product Type	Tile
Construction	Tufted
Surface Texture	
Gauge	1/12 Gauge color point
Density	
Total Weight	3780
Stiches Per Inch	11.5/inch
Finished Pile Thickness	
Total Thickness	
Dye Method	Solution Dyed
Backing Material	Thermoplastic PVC
Fiber Type	100% Nylon Type -6
Pattern Repeat	Applicable
Size	50 cm* 50 cm
Installation Method	BrickAshlar, Random



URBANE **UB2** Impressions o Grey



WELSPUN FLOORING

1/12 Gauge color point

3780 12/inch

Solution Dyed Thermoplastic PVC 100% Nylon Type -6 Applicable


50 cm* 50 cm BrickAshlar, Random



URBANE UB 3 Urban Lines • Brown







In imperfection lies true beauty.





WABI SABI

WSD 1 Kintsugi

Installation Method

0 0	Brown Red	0 0	Teal Brow	n Yellow
Art	icle Code			1040912
Des	sign Code			WSD – 1
Tuf	ted Pile Weigh	t		21 OZ/yd2
Pro	duct Type			Plank
Cor	nstruction			Tufted
Sur	face Texture			Textured Pattern Cut Loop
Gau	ıge			5/64 Gauge color point
Der	nsity			
Tot	al Weight			
Stic	hes Per Inch			9.5/inch, 37/10 cm
Finished Pile Thickness		i	2.5/3mm/3.5mm +_ 0.5 mm	
Tot	al Thickness			
Dye	e Method			Solution Dyed
Bac	king Material			Thermoplastic PVC
Fibe	er Type			100% Nylon Type -6
Pat	tern Repeat			Not Applicable
Size	2			25 cm* 100 cm



BrickAshlar, Random, Herringbone



WABI SABI WSD 2 Ripples

- o Brown
- o Brown, Red
- o Brown, Teal

Article Code Design Code Tufted Pile Weight Product Type Construction Surface Texture Gauge Density **Total Weight Stiches Per Inch Finished Pile Thickness Total Thickness** Dye Method **Backing Material** Fiber Type Pattern Repeat Size Installation Method



COULD NOT FIND IMAGE

1040913 WSD – 2 OZ/yd2 Tile Tufted Textured Patterned Cut Loop 5/64 Gauge

9.5/inch, 37/10 cm 2.5/3mm/3.5mm +_ 0.5 mm

Solution Dyed Thermoplastic PVC 100% Nylon Type -6 Not Applicable 50 cm* 50 cm BrickAshlar, Random,



WABI SA	R		WELSPUN
WSD 3 Patina		, 1	FLOORING
BrownBrown, Red	0 0	Brown, Teal Blue	
Article Code		1040914	
Design Code		WSD – 3	
Tufted Pile Weight		29 OZ/yd2	
Product Type		Plank	
Construction		Tufted	
Surface Texture		Textured Pattern Cut	Loop
Gauge		1/10 Gauge color poir	nt
Density			
Total Weight			
Stiches Per Inch		9/inch, 36/10 cm	
Finished Pile Thickness		3mm +_ 0.5 mm	
Total Thickness			
Dye Method		Solution Dyed	
Backing Material		Thermoplastic PVC	
Fiber Type		100% Nylon Type -6	
Pattern Repeat		Not Applicable	
Size		25 cm* 100 cm	
Installation Method		BrickAshlar, Random,	Herringbone



WABI SABI



WSD 4 Perfect Imperfection

1040915

WSD-4

Tile

Tufted

19.5 OZ/yd2

- o Brown
- Red Ο
- Brown, Red 0

Article Code Design Code Tufted Pile Weight

Product Type Construction

Surface Texture

Gauge

Density

Total Weight

Stiches Per Inch

Finished Pile Thickness

Total Thickness

Dye Method **Backing Material**

Fiber Type

Pattern Repeat

Size

Installation Method

Brown, Yellow 0

Brown, Teal 0

5/64 Gauge 11/inch, 43/10 cm 2.5mm/3mm/3.5mm + 0.5 mm

Textured Pattern Cut Loop

Solution Dyed Thermoplastic PVC 100% Nylon Type -6 Not Applicable 50 cm* 50 cm BrickAshlar, Random, Herringbone



WABI SABI

WSD 6 Patchwork

o Brown o Brown, Red	0	Brown, Teal Blue
Article Code		1040916(50*50 cm) 1040917(25*100 cm)
Design Code		WSD – 6
Tufted Pile Weight		18 OZ/yd2
Product Type		Tile & Plank
Construction		Tufted
Surface Texture		Textured Pattern Loop
Gauge		1/12 Gauge loop
Density		
Total Weight		
Stiches Per Inch		10/inch, 40/10 cm
Finished Pile Thickness		2.5mm/3mm/3.5mm +_ 0.5 mm
Total Thickness		
Dye Method		Solution Dyed
Backing Material		Thermoplastic PVC
Fiber Type		100% Nylon Type -6
Pattern Repeat		Not Applicable
Size		50 cm* 50 cm , 25 *100 cm
Installation Method		BrickAshlar, Random, Herringbone





WABI SABI WSD 7 Well-worn o Brown o B



o Brown, Red	o Brown, Yellow
Article Code	1040918
Design Code	WSD – 7
Tufted Pile Weight	29 OZ/yd2
Product Type	Tile
Construction	Tufted
Surface Texture	Textured Pattern Cut Loop
Gauge	1/12 Gauge Loop Color Print
Density	
Total Weight	
Stiches Per Inch	9.5/inch, 37/10 cm
Finished Pile Thickness	3mm +_ 0.5 mm
Total Thickness	
Dye Method	Solution Dyed
Backing Material	Thermoplastic PVC
Fiber Type	100% Nylon Type -6
Pattern Repeat	Not Applicable
Size	50 cm* 50 cm
Installation Method	BrickAshlar, Random





WABI SAI	
WSD 8 Rustic F o Brown o Red o Blue	Roots
Article Code	1040919
Design Code	WSD – 8
Tufted Pile Weight	18 OZ/yd2
Product Type	Plank
Construction	Tufted
Surface Texture	Textured Patterned Loop
Gauge	1/12 Gauge Loop
Density	
Total Weight	
Stiches Per Inch	10/inch, 40/10 cm
Finished Pile Thickness	2.5mm/3mm/3.5mm +_ 0.5 mm
Total Thickness	
Dye Method	Solution Dyed
Backing Material	Thermoplastic PVC
Fiber Type	100% Nylon Type -6
Pattern Repeat	Not Applicable
Size	25 cm* 100 cm
Installation Method	BrickAshlar, Random, Herringbone



WABI SABI

0

0

Size

WSD 9 Earthy Raw

