

BEDROCK

COLLECTION

CARPET TILES







BEDROCK

A design language that can be comprehended by all, this collection perfectly captures the essence of a contemporary outlook.

It can be easily characterized by its distinct geometric and distressed patterns that are trans-seasonal to add a distinguished touch to any office space.

BRASS | AC: CT001484



COBALT | AC: CT001482



GREEN RUST | AC: CT001483



SILVER | AC: CT001479



COAL | AC: CT001478



COPPER | AC: CT001487



MUNTZ | AC: CT001486



VIOLA | AC: CT001485





PLATINUM | AC: CT001480




ALLOY | AC: CT001481





































OUR LEGACY YOUR TRUST

WELSPUN GROUP

A STORY WOVEN OVER 4 DECADES.

How did we get here you may ask. So here's a brief introduction about ourselves. Ours has been an exciting journey, that was kick-started in 1985. From a small entity, today Welspun has reached the milestone of being named one of India's fastest growing conglomerates. No wonder we've been the envy of many.





Welspun has created a wide range of products for the bed and bath category. And have we made a name for ourselves!

Our list of marquee clients includes names like Walmart, Coles, JCPenney in the US; along with Shoppers Stop, Lifestyle and Hometown in India.




Do you know who has helped Welspun grow into one of the World's biggest textile giants? You. To be more precise, your trust.

And it has helped us transcend boundries too. We are India's largest exporter of home textiles to the US. India's Fortune 500 list of companies - we're on that as well.

And we didn't stop there. Welspun carved a niche in steel and infrastructure too. Now we're marching on to a new frontier.

WELSPUN CARPET TILES ADVANTAGES





Ideal For Heavy

Foot Traffic

Multiple Design Possibilities





Easy To Install

Reduces Wastage During Installation

Fade

Resistant

Stain

Protect

PRODUCT SPECIFICATIONS

Machine Gauge	1/10 Loop Infinity		
Machine Oduge			
Yarn	NY6+		
Size	50 X 50 CM(Also available in 25 x 100 CM)		
Pile Height	3.5 MM		
Density	5700		
Tufting Weight	15 OZ/ 510 GSM		
Backing	Welspun Ecolite™ or Comfortile+™		
*Total Thickness	6 MM		
*Indicates	+/-5%		

TRADEMARKS & TECHNOLOGIES



NY6+™

For colors that don't fade out, Welspun Floorings Ny6+™ is made up of a highly resilient fiber that is known for its superior color retention, strength, stain and fade resistance. With all this, your floor always retains its beauty come what may.



Welspun Ecolite™

Welspun Ecolite™ backing are made up of lightweight PVC that not only reduces the overall weight significantly but ensures a 40% less environment footprint than traditional carpets. Despite that, this backing retains the highest performance standards.



HealthyFloor™ (Optional)

We also have carpet tiles options with antiviral property. Tested and certified by ResInnova labs, we are the first company in India to offer antiviral carpet tiles. It eliminates 99.68% of virus thanks to a special coating of silver ion & titanium oxide.



Comfortile+[™] (Optional)

With Comfortile+™, enjoy the most superior levels of safety, underfoot comfort and sound absorption. Equipped with a cushion back that is 20% more thicker, Comfortile+™ decreases sound reflection by 25% compared to hard back enabling you to enjoy quieter spaces which leads to better health.





TEST REPORT SUMMARY			
Test Name	Method	Test Name	Method
Anti Microbial Treatment	AATCC 174 (Part II & III)	Colour fastness to bleach	AATCC 6
Delamination	ASTM D 3936	Static Electricity	AATCC 134-1996
Tuft Bind	ASTM 1335-67	Anti Static	ANSI/ESD S 7.1
Dimensional stability	ASTM D 7570	Castor Chair	DIN 54324
Pile weight	ASTM D 5848-07	Hexapod	ASTM D 5252-15
Pile density	ASTM D 5848-07	Static Coefficient	ASTM C 1028
Total thickness	ASTM D 6988-08	Dimensional stability (Aachen test)	DIN-STD-54318/ITTS-004
Pile height	ASTM D 5823-05a	Anti Soil	ASTM D 6540-05
Gauge	ASTM D 5793-13	Shampoo Fastness	AATCC 138
Tuft density	ASTM D 5848	Water Fastness	AATCC 107
Flammability (Pill Test)	ASTM D 2859	Velcro-Loops	ITTS 112
Flammability (Radiant Panel)	ASTM E 648-06	Heavy Traffic test (Walk test)	ASTM 6119-03
NBS Smoke Density (Flaming)	ASTM E 662-06	Sound transmission	ASTM C 423-17
Lightfastness	AATCC 16 E	Sound Absorption	ASTM C 423-17
Colour fastness to Ozone	AATCC 129	Static Loading	ISO 015/3415
Colour fastness to NO ₂	AATCC 164-2008	Green Carpet (VOC)	ASTM D 5116
Crocking Dry and Wet	AATCC 165-2008	Acoustic	BS EN ISO 354
Stain fastness	AATCC 175-2008/ITTS 002	Thermal Resistance	ASTM C 518







REACH US



Contact us:

1800 120 1161 India: contact_flooring@welspun.com Global: global_saleswfl@welspun.com www.welspunflooring.com

Address:

Welspun Global Brands Ltd, Survey No 190, Chandanvelly, Near Hythabad, Shabad Mandal, Ranga Reddy District, Telangana 501503, India