

FACADE

URBANE 2.0




WELSPUN
FLOORING



URBANE 2.0

Some artful masterpieces leave an indelible mark on the world and inspire minds for centuries.



The Welspun Flooring range of Urbane Carpet Tiles is designed keeping their timeless craft as the core element. Create a work environment where genius meets art and reflects your style with Urbane Carpet Tiles.


The background of the entire page is an abstract painting. It features a grid-like structure of large, rectangular blocks in various shades of blue, ranging from deep navy to light sky blue. These blocks are interspersed with horizontal and vertical bands of warm, earthy tones, including burnt orange, ochre, and dark brown. The brushwork is visible, giving the image a textured, painterly quality. The overall composition is balanced yet dynamic, with the cool blues contrasting against the warm oranges and browns.

FACADE


The most beautiful and elegant architectural structures successfully create an awestruck impression owing to how they look. Modern architecture has evolved leaps and bounds to merit themselves as a piece of art on its own.

An ode to the wonders of modern architecture, the Facade Collection draws inspiration from these structures and complex geometric forms to create designs that are versatile and trans-seasonal.





ARTICLE CODE | COLOR
CT001301 | AROPOLIS
CT001309 | DOM
CT001307 | DRESDER




AROPOLIS | AC: CT001301




DOM | AC: CT001309




DRESDER | AC: CT001307



DOM | AC: CT001309




DRESDER | AC: CT001307



AROPOLIS | AC: CT001301




ARTICLE CODE | COLOR
CT001302 | POMPIDOU
CT001310 | CARAVELA
CT001307 | DRESDER



A

POMPIDOU | AC: CT001302




B

CARAVELA | AC: CT001310




C

DRESDER | AC: CT001307



CARAVELA | AC: CT001310




DRESDER | AC: CT001307



POMPIDOU | AC: CT001302



ARTICLE CODE | COLOR
CT001300 | PYRAMIDE
CT001308 | COLOSSUM
CT001307 | DRESDER




PYRAMIDE | AC: CT001300




COLOSSCUM | AC: CT001308




DRESDER | AC: CT001307



COLOSSCUM | AC: CT001308



DRESDER | AC: CT001307



PYRAMIDE | AC: CT001300




ARTICLE CODE | COLOR
CT001306 | CERDOBA
CT001314 | PANTHEOM
CT001307 | DRESDER



A

CERDOBA | AC: CT001306




B

PANTHEOM | AC: CT001314




C


DRESDER | AC: CT001307



PANTHEOM | AC: CT001314




DRESDER | AC: CT001307



CERDOBA | AC: CT001306




ARTICLE CODE | COLOR
CT001305 | CATHEDRAL
CT001307 | DRESDER




A

B



DRESDER | AC: CT001307




A

CATHEDRAL | AC: CT001305



B



DRESDER | AC: CT001307



CATHEDRAL | AC: CT001305



ARTICLE CODE | COLOR
CT001304 | GHERKIN
CT001313 | OPERA
CT001307 | DRESDER



A

OPERA | AC: CT001313




B

GHERKIN | AC: CT001304




C


DRESDER | AC: CT001307



OPERA | AC: CT001313




DRESDER | AC: CT001307



GHERKIN | AC: CT001304



ARTICLE CODE | COLOR
CT001301 | AROPOLIS
CT001309 | DOM
CT001307 | DRESDER



A

AROPOLIS | AC: CT001301




B

DOM | AC: CT001309




C


DRESDER | AC: CT001307



DOM | AC: CT001309



DRESDER | AC: CT001307



AROPOLIS | AC: CT001301



ARTICLE CODE | COLOR
CT001311 | SAGARDA
CT001308 | COLOSSCUM
CT001307 | DRESDER



A

SAGARDA | AC: CT001311




B

COLOSSCUM | AC: CT001308




C


DRESDER | AC: CT001307



SAGARDA | AC: CT001311





DRESDER | AC: CT001307



COLOSSCUM | AC: CT001308



ARTICLE CODE | COLOR
CT001313 | OPERA
CT001307 | DRESDER



DRESDER | AC: CT001307




A

OPERA | AC: CT001313



B

DRESDER | AC: CT001307



OPERA | AC: CT001313



ARTICLE CODE | COLOR
CT001311 | SAGARDA
CT001303 | ARCH
CT001307 | DRESDER



A

ARCH | AC: CT001303




B

SAGARDA | AC: CT001311




C


DRESDER | AC: CT001307



SAGARDA | AC: CT001311




DRESDER | AC: CT001307



ARCH | AC: CT001303



ARTICLE CODE | COLOR
CT001310 | CARAVELA
CT001309 | DOM
CT001303 | ARCH
CT001307 | DRESDER



A

CARAVELA | AC: CT001310



B

DOM | AC: CT001309




C

ARCH | AC: CT001303



D

DRESDER | AC: CT001307




ARCH | AC: CT001303



DOM | AC: CT001309




CARAVELA | AC: CT001310



DRESDER | AC: CT001307



ARTICLE CODE	COLOR
CT001314	PANTHEOM
CT001312	SHARD
CT001311	SAGARDA
CT001307	DRESDER



SHARD | AC: CT001312




PANTHEOM | AC: CT001314




SAGARDA | AC: CT001311




DRESDER | AC: CT001307




SAGARDA | AC: CT001311



PANTHEOM | AC: CT001314



SHARD | AC: CT001312






DRESDER | AC: CT001307

















LAYING PATTERNS








PRODUCT SPECIFICATIONS	
Yarn	NY6+™
Machine / Gauge	1/10 Loop Infinity
Tufted Weight(Oz)	18
Density	5,200 to 5,500
Total Thickness(mm)	5 to 6
Pile Thickness(mm)	3 to 3.5
Backing Type	Welspun Ecolite™
SPI	10
Size(cm)	Plank (25X100)


WELSPUN CARPET TILES ADVANTAGES



Multiple Design Possibilities



Ideal For Heavy Foot Traffic



Stain Protect




Easy To Maintain



Easy To Install



Less Wastage During Installation



Fade Resistant




Made in India



Less Lead Time

TRADEMARKS & TECHNOLOGIES




NY6+™
For colors those don't fade out, Welspun Flooring's Ny6+™ is made up of a highly resilient fiber that is known for its superior color retention, strength, stain and fade resistance. With all this, your floor always retains its beauty come what may.



Welspun Ecolite™
Welspun Ecolite™ is a lightweight backing that not only reduces the overall weight significantly, but ensures a 40% less environmental footprint than traditional carpets. Despite that, this backing retains the highest performance standards.



HealthyFloor™ (Optional)
*We also have carpet tile options with **antiviral property**. Tested and certified by ResInnova Labs, we are the first company in India to offer antiviral carpet tiles. It eliminates 99.68% of virus thanks to a special coating of silver ion and titanium oxide.*



GermiShield™
*Health of our loved ones come first. To fight against these invisible forces of nature, these tiles come with innovative **GermiShield™**. This antimicrobial technology, restricts the growth of harmful germs or molds on the floor.*




Comfortile™ (Optional)
With Comfortile™ backing, our tiles come with a customized felt-back that not only offers great underfoot comfort, but also sound absorption. Comfortile™ provides extra levels of protection and support for high levels of acoustic and ergonomic support.

TEST REPORT SUMMARY			
Test Name	Method	Test Name	Method
Anti Microbial Treatment	AATCC 174 (Part II & III)	Colour fastness to bleach	AATCC 6
Delamination	ASTM D 3936	Static Electricity	AATCC 134-1996
Tuft Bind	ASTM 1335-67	Anti Static	ANSI/ESD S 7.1
Dimensional stability	ASTM D 7570	Castor Chair	DIN 54324
Pile weight	ASTM D 5848-07	Hexapod	ASTM D 5252-15
Pile density	ASTM D 5848-07	Static Coefficient	ASTM C 1028
Total thickness	ASTM D 6988-08	Dimensional stability (Aachen test)	DIN-STD-54318/ITTS-004
Pile height	ASTM D 5823-05a	Anti Soil	ASTM D 6540-05
Gauge	ASTM D 5793 - 13	Shampoo Fastness	AATCC 138
Tuft density	ASTM D 5848	Water Fastness	AATCC 107
Flammability (Pill Test)	ASTM D 2859	Velcro-Loops	ITTS 112
Flammability (Radiant Panel)	ASTM E 648-06	Heavy Traffic test (Walk test)	ASTM 6119-03
NBS Smoke Density (Flaming)	ASTM E 662-06	Sound transmission	ASTM C 423-17
Lightfastness	AATCC 16 E	Sound Absorption	ASTM C 423-17
Colour fastness to Ozone	AATCC 129	Static Loading	ISO 015/3415
Colour fastness to NO ₂	AATCC 164-2008	Green Carpet (VOC)	ASTM D 5116
Crocking Dry and Wet	AATCC 165-2008	Acoustic- Nylon	BS EN ISO 354
Stain fastness	AATCC 175-2008/ITTS 002	Thermal Resistance	ASTM C 518

CERTIFICATIONS







To transform your flooring, just get in touch with us:

Contact us:

☎ 1800 120 1161

✉ contact_flooring@welspun.com

Address:

Welspun Global Brands Ltd,
Survey No 190, Chandanvelly, Near Hythabad, Shabad Mandal,
Ranga Reddy District, Telangana 501503, India

www.welspunflooring.com

*Colors are indicative. Please refer actual product for exact color